

MAY 25 2001
U.S. PATENT & TRADEMARK OFFICE
611
SEARCHED INDEXED
SERIAL NO. 09/674,462
FILING DATE: OCTOBER 30, 2000

SHEET 1 OF 3
(REV. 7-80)

LIST OF REFERENCES CITED BY APPLICANT

(Use Several Sheets if Necessary)

DOCKET NO.: 2292/0H795 SERIAL NO: 09/674,462
APPLICANT: Robert Ian LECHLER FILING DATE: October 30, 2000

RECEIVED

DEC 10 2002

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

<u>*EXAMINER INITIALS</u>	<u>DOCUMENT NUMBER</u>	<u>DATE</u>	<u>NAME</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>FILING DATE</u>
---------------------------	------------------------	-------------	-------------	--------------	-----------------	--------------------

FOREIGN PATENT DOCUMENTS

<u>*EXAMINER INITIALS</u>	<u>DOCUMENT NUMBER</u>	<u>DATE</u>	<u>COUNTRY</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>TRANSLATION YES</u>	<u>NO</u>
---------------------------	------------------------	-------------	----------------	--------------	-----------------	------------------------	-----------

JO 1. WO 95/34320 12/21/95 WO

OTHER REFERENCES
(INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

JO 2. International Search Report from PCT/GB99/01350 (Published as WO 99/57266)

JO 3. Baliga P, Chavin KD, Qin L, Woodward J, Lin J, Linsley PS, Bromberg JS. CTLA41g prolongs allograft survival while suppressing cell mediated immunity. Transplantation 1994; 58: 1082.

JO 4. Turka LA, Linsley PS, Lin H, Brady W, Leiden JM, Wei- R-Q, Gibson ML, Xhen Z-G, Myrdal S, Gordon D, Bailey T, Bolling SF, Thompson CB. T cell activation by the CD28 ligand B7 is required for cardiac allograft rejection in vivo. Proc Natl Acad Sci USA 1992; 89: 11102.

JO 5. Lin H, Bolling SF, Linsley PS, Wei RQ, Gordon D, Thompson CB, Turka LA. Long term acceptance of major histocompatibility complex mismatched cardiac allograft induced by CTLA4-1g plus donor specific transfusion. J Exp Med 1993; 178: 1801.

JO 6. Lenschow DJ, Zeng Y, Thistlewaite JR, Montag A, Brady W, Gibson MG, Linsley PS, Bluestone JA. Long Term Survival of Xenogeneic Pancreatic Islet Grafts Induced by CTLA4-1g. Science 1992; 257: 789.

Flora Aspernholz 12/01/2005

RECEIVED

LIST OF REFERENCES CITED BY APPLICANT

(Use Several Sheets if Necessary)

DEC 10 2002

TECH CENTER 1600/2900

DOCKET NO.: 2292/0H795 SERIAL NO: 09/674,462
APPLICANT: Robert Ian LECHLER FILING DATE: October 30, 2000

*EXAMINER
INITIALS

10 7. Dorling A, Lechler RI. T cell-mediated xenograft rejection: specific tolerance is probably required for long term xenograft survival. Xenotransplantation 1998; 5: 234.

10 8. Madsen JC, Superina RA, Wood KJ, Morris PJ. Immunological unresponsiveness induced by recipient cells transected with donor MHC genes. Nature 1988;332:161.

10 9. Saitovitch D, Morris PJ, Wood KJ. Recipient cells expressing single donor MHC locus products can substitute for donor-specific transfusion in the induction of transplantation tolerance when pretreatment is combined with anti-CD4 monoclonal antibody.

10 10. Wong W, Morris PJ, Wood KJ. Syngeneic bone marrow expressing a single donor class 1MHC molecule permits acceptance of a fully allogeneic cardiac allograft. Transplantation 1996;62:1462.

10 11. Sykes M, Sachs DH. Mixed allogeneic chimerism as an approach to transplantation tolerance. Immunol Today 1988;9:23.

10 12. Sykes M. Chimerism and central tolerance. Curr Opin Immunol 1996; 8: 694.

10 13. Dono K, Maki T, Wood ML, Monaco AP. Induction of tolerance to skin allografts by intrathymic injection of donor splenocytes. Effect of donor-recipient strain combination and supplemental rapamycin. Transplantation 1995;60:1268.

10 14. Carr RI, Zhou J, Ledingham D, Maloney C, McAlister V, Samson M, Bitter-Suermann H, Lee TD. Induction of transplantation tolerance by feeding or portal vein injection pretreatment of recipient with donor cells. Ann NY Acad Sci 1996;77B:368.

10 15. Margulies DH, Evans GA, Ozato K, Camerini OR, Tanaka K, Appella E, Seidman JG. Expression of H-2D^d and H-2L^d mouse major histocompatibility antigen genes in L cells after DNA-mediated gene transfer. J Immunol 1983;130:463.

Ilia Aspazkhan 12/01/2005

LIST OF REFERENCES CITED BY APPLICANT

(Use Several Sheets if Necessary)

DOCKET NO.: 2292/0H795 SERIAL NO: 09/674,462
APPLICANT: Robert Ian LECHLER FILING DATE: October 30, 2000

TECH CENTER 1600/2900

DEC 10 2002

RECEIVED

*EXAMINER
INITIALS

10 16. Krummel MF, Allison JP. CTLA-14 engagement inhibits IL-2 accumulation and cell cycle progression upon activation of resting T cells. *J Exp Med* 1996; 183: 2533.

10 17. Krummel MF, Allison JP. CD28 and CTLA-4 have opposing effects on the response of T cells to stimulation [see comments]. *J Exp Med* 1995; 182: 459.

10 18. Valdivia LA, Monden M, Gotoh M, Tono T, Nakano Y, Mori T. Suppressor cells induced by donor-specific transfusion and deoxyspergualin in rat cardiac xenografts. *Transplantation* 1991;52:594.

10 19. Roelen DL, Dover EL, Niimi M, Young NT, Morris PJ, Wood KJ. Semi-allogeneic (F1) versus fully allogeneic blood transfusions: differences in their ability to induce specific immunological unresponsiveness. *Eur J Immunol* 1996;26:1468.

10 20. van Twyver E, Mooijaart RJD, Ten Berge IJM, van der Horst AR, Wilmink JM, Kast WM, Melief CJM, De Waal LP. Pretransplantation blood transfusion revisited. *N Engl J Med* 1991;325:1210.

10 21. Lagaaij, Emma L., MD, et al; "Effect of One-HLA-DR-Antigen-Matched and Completely HLA-DR-Mismatched Blood Transfusions on Survival of Heart and Kidney Allografts", THE NEW ENGLAND JOURNAL OF MEDICINE, Vol. 321, 14 September 1989, pages 701-705

*EXAMINER
INITIALS

EXAMINER: Ilia A. Levenson

DATE CONSIDERED: 12/01/2005

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; drew line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.